

PHENOLIC CORE SHOWER LOCKER

Solid phenolic core construction provides the ultimate in moisture, impact, and vandal resistance – engineered for shower rooms, natatoriums, and high-humidity facilities.

SPECIFICATIONS

Panel Material:	Solid phenolic (resin-impregnated kraft)	Panel Thickness:	1/2" (body), 3/4" (doors)
Fasteners:	Type 316 stainless steel	Hinges:	Stainless steel barrel, concealed
Widths:	12", 15", 18"	Depths:	15", 18", 21"
Heights:	60", 66", 72"	Tiers:	Single, Double, Triple
Finish:	20+ decorative laminates (wood, solid, etc.)	Lock Options:	Padlock hasp, cam lock, electronic, coin-op
Warranty:	25-year limited warranty		

KEY FEATURES

- Solid phenolic core panels – 100% waterproof throughout
- Surface hardness exceeds most hardwoods
- Type 316 stainless steel fasteners and hardware
- Stainless steel barrel hinges – concealed mounting
- Completely impervious to mold, mildew, and fungal growth
- Graffiti-resistant decorative surface
- Will not delaminate, swell, or warp from moisture
- Impact-resistant – resists dents and deliberate damage
- Available in 20+ decorative laminate finishes
- LEED-contributing – no formaldehyde emissions

